

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼



[Sign in](#)

longest diagonal levenshtein matrix

**Search**

[Advanced Search](#)  
[Preferences](#)



**Web**

Results **1 - 10** of about **737** for **longest diagonal levenshtein matrix**. (0.38 seconds)

Tip: Save time by hitting the return key instead of clicking on "search"

1. [Levenshtein distance - Wikipedia, the free encyclopedia](#)

Jan 29, 2009 ... This algorithm is essentially part of a solution to the **Longest** common ... to compute a **diagonal** stripe of width  $2k+1$  in the **matrix**. ...

[en.wikipedia.org/wiki/Levenshtein\\_distance](#) - 43k - [Cached](#) - [Similar pages](#)

2. [Perceptive evaluation of Levenshtein dialect distance measurements ...](#)

operations is divided by the length of the **longest** alignment that gives the mini- ... on the **diagonal** from upper left to lower right are not used. .... Dendrogram derived from the  $15 * 15$  **matrix** of average **Levenshtein** distances ...

[journals.cambridge.org/production/action/cjoGetFulltext?fulltextid=255121](#)

- [Similar pages](#)

by C Gooskens - 2004 - [Cited by 29](#) - [Related articles](#) - [All 4 versions](#)

3. [Levenshtein distance: Facts, Discussion Forum, and Encyclopedia ...](#)

If we are only interested in the distance if it is smaller than a threshold  $k$ , then it suffices to compute a **diagonal** stripe of width  $2k+1$  in the **matrix**. ...

[www.absoluteastronomy.com/topics/Levenshtein\\_distance](#) - 27k

- [Cached](#) - [Similar pages](#)

4. [Longest Common Subsequence from Fragments via Sparse Dynamic ...](#)

ing an associated DP **matrix**. The recurrences maximize (or minimize) some .... As before, in the **Levenshtein** cost. measure, each **diagonal** edge has weight 0 ...

[www.springerlink.com/index/L3R4HEPDKY302P91.pdf](#) - [Similar pages](#)

by BS Baker - [Cited by 14](#) - [Related articles](#) - [All 11 versions](#)

5. [\[PDF\] Extracting semantic clusters from the alignment of definitions](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The **Levenshtein** distance. arranges the strings in a **matrix**, with the words ... otherwise it is derived from the **diagonal**. 2.3 Extracting triplets ... define **longest** collocation couple as the maximal. sequence of pairs of words formed ...  
[www.aclweb.org/anthology-new/C/C00/C00-2115.pdf](http://www.aclweb.org/anthology-new/C/C00/C00-2115.pdf) - [Similar pages](#)  
by G SIERRA - [Related articles](#) - [All 10 versions](#)

6. [\[PDF\] Perceptive evaluation of \*\*Levenshtein\*\* dialect distance measurements ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

on the basis of the average **Levenshtein** distances as well. Since the **matrix** is symmetric, only one half is used, while the zero values on the **diagonal** from ...  
[www.let.rug.nl/~heeringa/dialectology/papers/lvc04.pdf](http://www.let.rug.nl/~heeringa/dialectology/papers/lvc04.pdf) - [Similar pages](#)

7. [BioMed Central | Full text | Improved algorithms for approximate ...](#)

In this work we will focus on the **Levenshtein** edit distance [1], ... The following year, Myers published an algorithm for the **Longest** Common Substring .... As already mentioned, the part of the **matrix** right of the main **diagonal** is ...  
[www.biomedcentral.com/1471-2105/10/S1/S10](http://www.biomedcentral.com/1471-2105/10/S1/S10) - 78k - [Cached](#) - [Similar pages](#)

8. [CodeProject: A Generic - Reusable Diff Algorithm in C#. Free ...](#)

The Diff Engine uses a bit **matrix** that employs a sliding window of the 2 files. ... The algorithm looks for the **longest** sequence, using the the closer of ...  
[www.codeproject.com/KB/recipes/c\\_\\_\\_diff\\_algorithm.aspx?display=PrintAll&fid=38358&df=90&mpp=25&noise...26](http://www.codeproject.com/KB/recipes/c___diff_algorithm.aspx?display=PrintAll&fid=38358&df=90&mpp=25&noise...26) - 36k - [Cached](#) - [Similar pages](#)

9. [\[PDF\] Identifying Music by Performances Using an Entropy Based Audio ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

distances like **Longest** Common Subsequence (LCS), **Levenshtein** or edit .... In **matrix** (12) the string att is found at positions 2, 3 and 5 with one .... main **diagonal**, each square's wide would have to be of exactly of two columns. ...  
[ict.udlap.mx/people/alfredo/tesis/MusicMatchDTW.pdf](http://ict.udlap.mx/people/alfredo/tesis/MusicMatchDTW.pdf) - [Similar pages](#)  
by A Camarena-Ibarrola - [Related articles](#)

10. [\[PPT\] Quantitative approaches to language change](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

**diagonal**. labels. missing=? ; **MATRIX**. BellaCoola 0. Comox 80 0 ... Colleagues and I: divide by the length of the **longest** string compared and then divide by the ... Tree based on automated lexicostatistics (using **Levenshtein** distances) ...  
[email.eva.mpg.de/~wichmann/SS1.ppt](mailto:eva.mpg.de/~wichmann/SS1.ppt) - [Similar pages](#)

[http://www.google.com/search?rlz=1T4GGLD\\_en\\_\\_US252...onal+levenshtein+matrix&btnG=Google+Search&aq=f&oq=](http://www.google.com/search?rlz=1T4GGLD_en__US252...onal+levenshtein+matrix&btnG=Google+Search&aq=f&oq=) (3 of 3) 2/9/2009 6:26:32 PM